MADE IN GERMANY

# MODIFIE

HANDCRAFTED BICYCLE FENDERS



WOODIE® handcrafted fenders are made to give your bicycle its own individual touch.
The combination of natural materials, such as wood in many design variants, stainless steel components, also the puristic design make our mudguards unique and give your bicycle that stylish look you are looking for.
WOODIE® mudguards can fit any type of bicycle. Just figure out your favorite fenders. Choose type, width, length, colors and stripes and we build them for you - Choose from over 1000 design possibilities!

# TYPES

### FULL



### HALF



### **SPORTIVE**



### UNDER-BRAKE-ATTACHMENT

(solution for small distances between tyres and brakes)



Please contact us for other solutions!



# WHEEL SIZES

16" 18" 20" 24" 26" 27,5" 28"

Please contact us for other widths!



# WIDTHS



Please contact us for other widths!



# LENGTHS

# LONG/SHORT

You can select pre-defined lengths or specify the fender length by yourself.


examples:

long version: page 39 short version: page 19



# FIXING DETAILS

The WOODIE® mounting hardware includes high quality stainless steel and chrome-plated parts.



Detailed information can be found starting on page 41.



 $\label{eq:woodle} WOODIE^* \ fenders \ are \ also \ available \ with \ high-end \ parts.$ 

The WOODIE® mounting hardware includes high quality stainless steel and chrome-plated parts.



# DESIGNS



## **BASIC COLORS**

#### WOOD VENEER (top side)



Vivid Cherry



Oak



Wenge



Dark Walnut



Smoky Brown Pear



Black Ponga



Maple

#### **ELOXED ALUMINIUM** (top / bottom / both)







Copper



Gold



Bronze



Mirror

## **CHOOSE YOUR STRIPES**

handmade wooden inlays (intarsia technique)



If you select this option, you can also select the color of the stripes.



#### VIVID CHERRY

stripes: Maple



#### AMERICAN OAK

stripes: Black Ponga



WENGE



#### DARK WALNUT

stripes: Maple



### SMOKY BROWN PEAR

stripes: Black Ponga



### BLACK PONGA

stripe: Maple



MAPLE

stripes: Vivid Cherry



Example:
ELOXED ALUMINIUM
top & bottom
color: Copper



Example:
ELOXED ALUMINIUM
top & bottom
Mirror



Instead of aluminium you can also choose Formica at the bottom side.



WOOD VENEER & FORMICA



ELOXED ALUMINIUM & FORMICA

# HOW TO ORDER


#### ORDER GUIDE

1	• • • • • • •	•••••	**********	•••••	Define	e the tech	nnical as	spects	•						
	ty	pe			wheel size				V	vidth				le	ength*
Full	Half	Sportive	e Under- Brake- Attachment	26"	28" o	other: 26	30	35	40	45	50	55	60	lon	g short
													[		
* type "Spor 2					S	elect the	top side	2:			alum	niniun			
Vivid	Ame	rican	Wenge	Dark	Smoky	Black	Maple				aiuii				
Cherry	O		Wenge	Walnut	Brown Pear		Maple	or		Steel	Copper	Go	old	Bre	onze
									F						
											M	lirror			
	et	ripes					stripe col	ors			,			1	
	0	$\frac{1}{1}$ 2	Vivid	Amer	ican Wen			oky	Blac	rk M	Iaple F	Formica c	olor:		
			Cherry			Waln			Pon			(stained wo	ood)		
3	••••••	•••••	•••••			Select the	botton	ı: 	_						
			]	Formica				or			alun	niniun	1		
			(availal	ble colors: pa	ige 33)					Steel	Copper	Go	old	Bre	onze
									L			<u></u>		<u> </u>	
											M	Iirror			
4	•••••	•••••				special re	equests:								



# ANNEX

### Fixation: Full fenders (long version)



3x stainless steel stays (nr. 1)

3x M5x10 eyelet bolts (nr. 1)

6x M5x12 eyelet bolts (nr. 2)

1x stainless steel mounting adapter (nr. 3)

1x stainless steel mounting bracket (nr. 4)

1x chrome-plated bracket screw with sleeve (nr. 4)

1x stainless steel extension adapter (nr. 5)\*

1x stainless steel M5x10 screw for extension adapter (nr. 5)

3x super slim stainless steel M5 safety nut (nr. 1)

7x stainless steel M5 safety nut (nr. 2, nr. 5)

13x stainless steel M5 washer (nr. 1, nr. 2, nr. 5)

1x spacer for optimum positioning of the rear fender (nr. 5)

1x protective tube

(Please place a small piece of the tube onto the stay ends!)

# FIXATION: FULL FENDERS LONG VERSION


Solutions (nr.) 6 (7) - 8 (9) are included! Please tell us, if your bike has eyelets or not!

If you wish high-end parts only (e.g. chrome plated or stainless steel eyelet bolts, leather washer etc. cp. page 18) please contact us!

\*Use the extension adapter (nr. 5), if the rear fender does not fit the frame fork!



### Fixation: Full fenders (short version)



2x stainless steel stays (nr. 1)

2x M5x10 eyelet bolts (nr. 1)

4x M5x12 eyelet bolts (nr. 2)

1x stainless steel mounting adapter (nr. 3)

1x stainless steel mounting bracket (nr. 4)

1x chrome-plated bracket screw with sleeve (nr. 4)

1x stainless steel extension adapter (nr. 5)\*

1x stainless steel M5x10 screw for extension adapter (nr. 5)

2x super slim stainless steel M5 safety nut (nr. 1)

5x stainless steel M5 safety nut (nr. 2, nr. 5)

9x stainless steel M5 washer (nr. 1, nr. 2, nr. 5)

1x spacer for optimum positioning of the rear fender (nr. 5)

1x protective tube

(Please place a small piece of the tube onto the stay ends!)

# FIXATION: FULL FENDERS SHORT VERSION


Solutions (nr.) 6 (7) are included!

also available with high-end parts (cp. page 18)

\*Use the extension adapter (nr. 5), if the rear fender does not fit the frame fork!



### Fixation: Half fenders (long version)



3x stainless steel stays (nr. 1)

3x M5x10 eyelet bolts (nr. 1)

6x M5x12 eyelet bolts (nr. 2)

2x stainless steel mounting bracket (nr. 3)\*

2x chrome-plated bracket screw with sleeve (nr. 3)

3x super slim stainless steel M5 safety nut (nr. 1)

6x stainless steel M5 safety nut (nr. 2)

12x stainless steel M5 washer (nr. 1, nr. 2)

1x protective tube


(Please place a small piece of the tube onto the stay ends!)

# FIXATION: HALF FENDERS LONG VERSION

Solutions (nr.) 4 (5) - 6 (7) are included! Please tell us, if your bike has eyelets or not!


also available with high-end parts (cp. page 18)
\*available bracket (nr. 3) sizes:

#### short (no brakes)




low = ca. 22mmhigh = ca. 30mm

#### long (under-brakes-attachment)



### Fixation: Half fenders (short version)



2x stainless steel stays (nr. 1)

2x M5x10 eyelet bolts (nr. 1)

4x M5x12 eyelet bolts (nr. 2)

2x stainless steel mounting bracket (nr. 3)

2x chrome-plated bracket screw with sleeve (nr. 3)

2x super slim stainless steel M5 safety nut (nr. 1)

4x stainless steel M5 safety nut (nr. 2)

8x stainless steel M5 washer (nr. 1, nr. 2)

1x protective tube


(Please place a small piece of the tube onto the stay ends!)

# FIXATION: HALF FENDERS SHORT VERSION

Solutions (nr.) 4 (5) are included! Please tell us, if your bike has eyelets or not!

also available with high-end parts (cp. page 18)
\*available bracket (nr. 3) sizes:


short (no brakes)



low = ca. 22mmhigh = ca. 30mm long (under-brakes-attachment)



### Fixation: Under-Brake-Attachment (long version)



3x stainless steel stays (nr. 1)

3x M5x10 eyelet bolts (nr. 1)

6x M5x12 eyelet bolts (nr. 2)

4x stainless steel under-brake-attachment bracket (nr. 3)

4x chrome-plated bracket screw with sleeve (nr. 3)

1x stainless steel extension adapter (nr. 4)\*

1x stainless steel M5x10 screw for extension adapter (nr. 4)

3x super slim stainless steel M5 safety nut (nr. 1)

7 x stainless steel M5 safety nut (nr. 2)

12x stainless steel M5 washer (nr. 1, nr. 2)

1x protective tube

(Please place a small piece of the tube onto the stay ends!)

# FIXATION: UNDER-BRAKE-ATTACHMENT LONG VERSION


Solutions (nr.) 5 (6) - 7 (8) are included! Please tell us, if your bike has eyelets or not!

also available with high-end parts (cp. page 18)

\*Use the extension adapter (nr. 4), if the rear fender does not fit the frame fork!



### Fixation: Under-Brake-Attachment (short version)



2x stainless steel stays (nr. 1)

2x M5x10 eyelet bolts (nr. 1)

4x M5x12 eyelet bolts (nr. 2)

4x stainless steel under-brake-attachment bracket (nr. 3)

4x chrome-plated bracket screw with sleeve (nr. 3)

1x stainless steel extension adapter (nr. 4)\*

1x stainless steel M5x10 screw for extension adapter (nr. 4)

2x super slim stainless steel M5 safety nut (nr. 1)

5x stainless steel M5 safety nut (nr. 2)

9x stainless steel M5 washer (nr. 1, nr. 2)

1x protective tube

(Please place a small piece of the tube onto the stay ends!)


# FIXATION: UNDER-BRAKE-ATTACHMENT SHORT VERSION

Solutions (nr.) 5 (6) are included! Please tell us, if your bike has eyelets or not!

also available with high-end parts (cp. page 18)

\*Use the extension adapter (nr. 4), if the rear fender does not fit the frame fork!





2x stainless steel stays (nr. 1)

2x M5x10 eyelet bolts (nr. 1)

4x M5x12 eyelet bolts (nr. 2)

1x stainless steel mounting adapter (nr. 3)

1x stainless steel mounting bracket (nr. 4)

1x chrome-plated bracket screw with sleeve (nr. 4)

2x super slim stainless steel M5 safety nut (nr. 1)

2x stainless steel M5 safety nut (nr. 2)

8x stainless steel M% washer (nr. 1, nr. 2)

1x protective tube

(Please place a small piece of the tube onto the stay ends!)


## FIXATION: SPORTIVE ONE LENGTH

Solutions (nr.) 5 (6) are included!

also available with high-end parts (cp. page 18)

	B-100H	stainless steel mounting bracket high
	B-100L	stainless steel mounting bracket low
	B-22H	stainless steel mounting bracket 22mm / low
	B-22L	stainless steel mounting bracket 22mm / low
	B-38H	stainless steel mounting bracket 38mm / high
	B-38L	stainless steel mounting bracket 38mm / low
	AF-26/30/35/40/45/50/55/60	stainless steel mounting adapter (available sizes: 26-60 mm)
6	A-XT01	stainless steel extension adapter

	SC-B	chrome-plated bracket screw with sleeve
800	<b>AF-101-</b> z/s	stainless steel eyelet adapter incl. zink-plated (z) eyelet bolts / stainless steel (s) eyelet bolts
80	AF-102-z/s	stainless steel eyelet adapter incl. zink-plated (z) eyelet bolts / stainless steel (s) eyelet bolts
	AF-201-z/s	eyelet adapter (z): adapter: stainless steel, eyelet bolts: zink-plated (s): adapter chrome-plated, eyelet bolts: stainless steel
	AF-202-z/s	stainless steel eyelet adapter incl. zink-plated (z) eyelet bolts / stainless steel (s) eyelet bolts
	A-CL	chrome-plated stays clamp
	SP-10	spacer 10mm
8	A-XT02	stainless steel extension adapter (for screw SC-B)





WS-01

**EC-10** chrome-plated M5x10 eyelet bolt

stainless steel M5 washer 1mm



#### Notes

The wood us	sed by WOODIE® conta	ains only veneer from r	econstituted woods whi	ch are sourced from
responsible and su	stainable forestry man	agement. Please note th	nerefore, that product na iations in color and woo	mes used by us are design
names and not				
names and not				
names and not				
names and not				

### WOODIE

Phone: +49 (0) 621 30989057 Fax: +49 (0) 621 86429715 E-mail: info@woodie-fenders.com

www.woodie-fenders.com facebook.com/woodiefenders